

Z-QUOTE[™] Design Checklist

In order to receive an accurate and timely response, please complete the checklist with as much detail as possible. The information is critical and allows the engineering department to produce an accurate design layout. Please note that missing information will cause delays.

Please do not submit mechanical drawings. Please filter out and submit only the relevant data that applies.


								Detail In	forn	nation								
Company Name:							Job Nam	ie:										
Contact:						Location:												
Telephone:								Date Quote Required: Email		(DD/MM/YY)	Expected Install Date:			(DD/MM/YY)				
Fax:							Address:											
							Α	ppliance	Da	ta								
Please Check Appropriate Boxes			Make/ Model:_ (Please I	ist separately if mo	odels are of d	ves)	Number of Units:											
Fuel			Nat. Ga		#2 0il	Wood	Other											
Appliance Vent Category		1 11		III	IV	Appliance Vent Outlet Outside Diameter in Inches:				Is Appliance Installed on Pad?				Y	N	Pad Height in Inches:		
Are Multiple Appliances Individually Vented?		Υ	Are Multip N Appliances Comm Venter		non	N	Common V Diameter in				Is External Power Venter Used?				Υ		N	
Are Barometric Y Dampers Used?		N																
Venting Material			Z-Ven	t (S.S.)	Bui		Building			eiling		Y N Ceiling Thickness in Inches:					1	
			Single Wall				Structure		Combustible?									
			Double Wall							Wall Combustible?		Y N Wall Thickness in Inches:						
Check Appropriate Boxes		Z-DENS (Polypropylene)				COMPOSIBLE:												
			Rigid															
		Flex Concentric																
								ade Non-Return ired?		I N								
			Cascade)			Required?		Ĭ	N								
					Vertical	l			Но	rizontal					Ro	of To	р	
Check All To Include In Quote		Firestop Support at Ceiling					Vent Suppo Bracket	pport or Fixing					Flashing					
4000			Guy Band others)	I Inside (cable by			Wall Thimb	nble				Roof Pitch						
			Vent/B	ase Support									Firestop Support Guy Band (cable by others)					
			Vent Su Bracket	pport or Fixing														
Vont T					Concentric H	orizont-l	Uni-setal I	ou Drafila	ĮI.	l /Dam===	Įl.	1	000 [AFO	CIL -		
Vent Termination (check one)			on				Rain Cap			l w/Damper Cone	Hood Tee		90° Elbov Straight	90° Elbow		Elbow		
(CHECK OHE)					Concentric	verneur	ruiii Cup		LXII	COLIG	ICC		Siluigili					



Z-QUOTE[™] Design Checklist

Centerline Dimensional Data (Please do not submit mechanical drawings)							
1. Between each appliance exhaust outlet	5. From floor to breaching						
2. Between each appliance side by side	6. From floor to ceiling						
3. From appliance(s) to breaching wall	7. From breaching to top of stack						
4. From the floor to the appliance exhaust outlet	8. From appliance outlet to vertical stack (for stacks terminating through roof						

On a separate sheet please provide a desired layout drawing/sketch showing the dimensions on plan and elevation views as per this example




The information provided within is for informational purposes only. We have made every effort to ensure the accuracy of the provided information and assume no responsibility for any loss or damage due to errors or omissions or to the use or misuse of any information supplied. It is impossible to test all products under all conditions to which they might be subjected in the field. It is therefore the buyer and/or end users' responsibility to test all products under the conditions that duplicate the service conditions prior to installation. All improvements, all specifications are subject to change without prior notice. It is the buyer and/or end users' responsibility to review our complete Terms and Conditions of Sale located on our web sites at: www.novaflex.com | www.z-flex.com | www.flexmaster.com.



Z-QUOTE[™] Design Checklist

Examples of required information



Z-Flex Single Wall ø6, 4 ft 5.440in 1x 2SVSAO6 1x 2SVEPO601.5 1x 2SVSPAO6 1x 2SVSIO608