

Z-FLEX[®]
CHIMNEY & VENTING SOLUTIONS



Z-VentBLU[®]










Dimensional Data Appliance Adaptors

Z-VentBLU® Appliance Adaptors	Pages
Female to Z-VentBLU® Female Adaptors	1
Male to Z-VentBLU® Female Adaptors	1

NOTES:

- Information subject to change without notice.
- Consult appliance manufacturer for additional information regarding Z-VentBLU® approvals of vent and or air for U.S. and or Canada.
- Support vent and air piping within 1ft of appliance adaptors to avoid applying weight to these connections.
- Install carbon monoxide detector and alarms in accordance with local codes.
- Z-VENT®, Z-VentBLU® and NovaVent® are all UL1738 & ULC-S636 listed under UL file MH18505 and all utilizes the appropriate Z-VENT® adaptor.
- Contact Z-Flex® U.S. Inc. at (800) 654-5600 if there is any concerns with suggested adaptor, or if you require any additional information.

IMAGE	PART ID	Type	Inlet "A"	"A" I.D. or O.D.	Length Installed "B"	Length "C"	Outlet ID "D" Z-VentBLU Female
	2ZB2.4AF	Female	2.42	I.D.	3.88	5.5	2.4
	2ZB3AF	Female	3.02	I.D.	3.5	5.5	3
	2ZB3AM	Female	3.05	I.D.	3.75	5.75	3
	2ZB4AF	Female	4.02	I.D.	3.5	5.5	4
	2ZB4AM	Female	4.05	I.D.	3.75	5.75	4
	2ZB4AUH	Male	3.8	O.D.	3.75	5	4
	2ZB4AR	Male	3.83	O.D.	4.13	5	4



20 Commerce Park North
Bedford, New Hampshire 03110-6911
tel: 603.669.5136 fax: 603.669.0309

452 Attwell Drive
Etobicoke, ON M9W 5C3
tel: 416.679.0045 fax: 416.679.0051

www.z-flex.com email sales@z-flex.com